

RHEUMACID *Capsules & Suppositories*


Composition:

RHEUMACID CAPSULES:

- Each capsule contains 25 mg Indomethacin.

RHEUMACID SUPPOSITORIES:

- Each suppository contains 100 mg Indomethacin.



Properties:

Rheumacid, contains the active principle Indomethacin, a non-steroid anti-inflammatory agent which is highly effective as antirheumatic, analgesic and antipyretic drug.

Indications:

RHEUMACID, is indicated for the treatment of:

- Rheumatoid arthritis.
- Osteoarthritis.
- Ankylosing spondylitis.
- Gout
- Tendinitis, synovitis, tenosynovitis, capsulitis of the shoulder, sprains & strains.
- Low back pain (lumbago).
- Pain & inflammation following dental procedures, orthopedic surgical procedures and non-surgical procedures e.g. immobilization of fractures or dislocations.

- Pain of dysmenorrhea.

Usage During Pregnancy or Lactation:

Contraindicated.

Usage in Children:

Safety to use indomethacin in children under two years of age have not been established. Children should be monitored closely and periodic evaluations of liver function should be performed at appropriate intervals.

DOSAGE & ROUTE OF ADMINISTRATION: It is better to take oral RHEUMACID capsules with food, milk, or antacids to minimize the possibility of gastrointestinal disturbances.

Adults:

Recommended daily dose is 50 mg to 200 mg in divided doses.

CHILDREN (TWO YEARS OF AGE OR OLDER): Start with a daily dose of 2 mg / kg in divided doses b.i.d. or t.i.d. increased weekly as needed to maximum of 4 mg / kg / day.

Presentation:

- RHEUMACID capsules: 3 strips x 10 capsules each of 25 mg indomethacin.

- RHEUMACID suppositories: 2 strips x 5 suppositories each of 100 mg indomethacin.