

CETAVLON *Liquid Antiseptic*

Composition:

Chlorhexidine Gluconate 0.3% - Cetrимide 3.0%.

Indications:

General antiseptic use, including first-aid, nursery and sickroom hygiene, dandruff control, napkin medication and general household disinfection.

Administration:

- **Wounds burns, bites.... etc.; 1 tablespoonful in glass of warm water.**
- **Household disinfection: 1 tablespoonful in gallon cold or hot water.**
- **Handkerchiefs, towels & baby clothes disinfections; 1 tablespoonful in 1 gallon of water for rinsing after washing.**
- **Self-cleaning: 1 teaspoonful in about 1/2 Lt. of water. For bathing use 2-3 tablespoonfuls in the bathing water.**
- **Nursery & sickroom hygiene; 1 tablespoonful in 1/2 Lt. of water as general antiseptic & for washing vessels & spraying linen.**
- **Baby-feeders; 1/2 tablespoonful in about 1 Lt. of hot water for preservation of clean baby feeders.**
- **Midwifery; 1 tablespoonful in 1/2 Lt. of water as external antiseptic.**
- **Dandruff; Wet hair with water then rub the scalp thoroughly with 1 tablespoonful, rinse hair & repeat.**

Toxicity:



In the treatment of accidental or suicidal ingestion of .cetavlon, alcohol should not be given in any form. Large quantities of milk, egg white, gelatin or mild soap should be given or the stomach washed out with these agents. Central paralysis may be countered by sympathomimetic drugs but not by curare antagonists or central nervous stimulants.

Packing:

Bottles of 120 ml.